


800 mm

600 mm

7.10 mm

SAFE WORKING LOADS

IN ACCORDANCE WITH AS4084-2023 STEEL STORAGE RACKING



INSTALLATION TOLERANCE GRADE = I

NOTE: ALL LOADS SHOWN ARE UNIFORMLY DISTRIBUTED

THIS INSTALLATION CONFORMS TO AS4084 - STEEL STORAGE RACKING

OPERATION AND MAINTENANCE OF PALLET RACKING

- 1) No climbing on the racking.
- 2) Do not alter the racking structure without checking with the racking designer or a competent person.
- 3) Report all damage.
- 4) Carry out inspections to check for correct application and use of the racking, adherence to safe working loads, and impact damage.
- 5) Ensure that correct clearances are maintained between racking and stored unit loads.
- 6) Do not use tools to modify the structure without checking with the racking designer or a competent person.
- 7) Ensure products are secured to pallets.
- 8) Instruct operators on correct use of the unit load handling equipment.
- 9) If in doubt, always contact the supplier, manufacturer, racking designer or competent person.

LAST INSPECTION DATE:

INSPECTED BY:

All the loadings are based on the initial configurations. Any alterations made to the configuration may dramatically affect the loading capacity.

SUPPLIER:

MANUFACTURER:

CLIENT:

INSTALLER:

INSTALLATION DATE:

DESIGNER: